



TRIDENT PROFESSIONAL

Engineered for the Trade.
Trusted by Professionals.

CONTENTS

About Millers Oils	3
Trident Professional	4
Passenger Car Fluid & Lubricant Applications	6
Trident Professional Engine Oil Range	8
Trident Professional Driveline Range	11
Trident Professional specification Chart	12



ABOUT MILLERS OILS

Millers Oils is a leading manufacturer and independent blender of oils and lubricants, operating since 1887 in Brighouse, West Yorkshire.

We pride ourselves on our award-winning innovation and our independence which allows maximum flexibility to meet our customers' needs.

At Millers Oils, we understand that selecting the right lubricants is crucial for your vehicle's performance and longevity. That's why we've developed three distinct ranges — Trident Professional, XF Premium and EE Performance, each tailored to meet specific needs and applications.

Trident Professional: Designed for high-volume workshops and garages, this versatile range offers multi-application engine and driveline lubricants that cover a wide array of vehicle specifications. Formulated for use in petrol/gasoline, diesel and hybrid engines, Trident Professional ensures compatibility across numerous manufacturers. It's the practical choice for professionals seeking reliable performance and extensive vehicle parc coverage.

XF Premium: This range of fully synthetic engine oils and driveline fluids is engineered for modern passenger cars, meeting and often exceeding the latest OEM specifications. Utilising our unique Dynamic Fluid Technology (DFT), XF Premium provides enhanced protection, improved fuel economy, and reduced engine wear. Ideal for independent specialists and workshops, this range ensures that vehicles operate at peak efficiency.

EE Performance: For enthusiasts and drivers seeking maximum engine performance, EE Performance is our "track day ready" fully synthetic engine and driveline range suitable for on-road use. Incorporating award-winning NANODRIVE low friction technology and ester chemistry, EE Performance engine oils significantly reduce friction by up to 24% compared to industry-standard formulations, while providing exceptional wear protection. Perfect for customers with high-performance vehicles and those looking to enhance fuel economy and reduce emissions.

TRIDENT PROFESSIONAL

Designed for the Demands of the Modern Workshop.

The Trident Professional range is designed to simplify your stockholding while delivering exceptional protection across a wide variety of vehicles. For high-volume workshops and garages, that means fewer products, less hassle, and no compromise on quality.



Covering petrol/gasoline, diesel and hybrid applications, Trident Professional, equipped with advanced stop-start technology, provides instant protection in all conditions. This versatility allows you to reduce inventory while still meeting the needs of a broad customer base.

Every oil in the Trident Professional range is formulated to meet or exceed manufacturer standards, delivering benefits such as:

- **Improved fuel economy**
- **Lower emissions**
- **Enhanced engine performance**
- **Superior wear protection**

By streamlining your stock, you can save time, reduce costs, and focus on delivering top-quality service. Join the growing network of garages that rely on Trident Professional to keep their customers vehicles running smoothly and efficiently.



PASSENGER CAR FLUID AND LUBRICANT APPLICATIONS

Millers Oils prides itself on supplying a comprehensive range of oils, fluids and treatments for all vehicles.

ENGINE OIL

Professional

- Trident Professional
- Wide vehicle parc coverage
- Available in a range of viscosities from 0W-20 - 10W-40

ANTIFREEZE & COOLANT

A range of Monoethylene Glycol (MEG) products formulated with different chemistry types designed to be compatible with the materials in the cooling system.

MEG Si-OAT

- Alpine Lilac Concentrate
- Alpine Lilac Ready Mixed

MEG OAT

- Alpine Red Concentrate
- Alpine Red Ready Mixed
- Alpine Yellow Concentrate
- Alpine Yellow Ready Mixed

MEG IAT

- Alpine Blue Concentrate
- Alpine Blue Ready Mixed

HYDRAULIC & STEERING SYSTEM

Hydraulic System

- Central Hydraulic Fluid (CHF)
- LHM Plus

Power Steering System

- Power Steering Fluid (PSF)

GREASE

General Grease

- Delta 2EP

Wheel Bearings

- Deltaplex 2EP

Anti-Seize

- Millergrease NS Copper

CV Joints

- Hi-Mol 20

Spline Shafts

- Black Moly MM2

Brake System

- Red Rubber Grease

TREATMENTS

Fuel

- Petrol
- Petrol Power ECOMAX
- Petrol Injector Cleaner
- Diesel
- Diesel Power ECOMAX
- Diesel Injector Cleaner
- DPF Regenerator

Oil

- Engine Flush
- Driveline Flush
- Stop Leak

DRIVELINE OIL

Gear Oil /Manual Transmission Fluid (MTF)

- Trident Professional MTF 75W-90

Auto Transmission Fluid (ATF)

- Trident Professional ATF UN

BRAKING SYSTEM

- ESP Brake Fluid DOT 4 LV
- Universal Brake Fluid DOT 4

TRIDENT PROFESSIONAL ENGINE OIL RANGE

The Trident Professional engine oil range is designed to simplify workshop stockholding while delivering trusted performance. Formulated for broad compatibility across petrol/gasoline, diesel, and hybrid engines, this versatile range helps reduce complexity without compromising on protection. Whether you’re servicing a mixed fleet or managing a busy garage, Trident Professional ensures you always have the right oil for the job.



0W-20 - 8430

Fully synthetic | For use in petrol/gasoline and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Performance Profile:
API SP RC, SP
ILSAC GF-6A
Ford WSS-M2C962-A1
GM dexos1-Gen 3

Suitable For:
API SN PLUS RC, SN PLUS, SN RC, SN
Chrysler MS-6395
Fiat 9.55535-CR1
Ford WSS-M2C947-B1, Ford WSS-M2C947-A
GM dexos1-Gen 2, GM dexos1-Gen 1
ILSAC GF-5, ILSAC GF-4
Asian Manufacturers



C5 ECO 5W-20 - 8173

Fully synthetic | Mid SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Performance Profile:
ACEA C5
API SN RC, SN

Suitable For:
ACEA A1/B1
Chrysler MS-6395
Fiat 9.55535-CR1
Ford WSS-M2C945-A, Ford WSS-M2C948-B,
Ford WSS-M2C948-A, Ford WSS-M2C925-B
Ford WSS-M2C925-A
ILSAC GF-4, ILSAC GF-5
Jaguar Land Rover STJLR.03.5004
Asian manufacturers



C1 5W-30 - 8146

Fully synthetic | Low SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Performance Profile:
ACEA C1

Suitable For:
Ford WSS-M2C934-B
Jaguar Land Rover STJLR.03.5005
JASO DL-1
Asian manufacturers



C2 C3 5W-30 - 8123

Fully synthetic | Mid SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Performance Profile:
ACEA C2/C3
API SN, CF

Suitable For:
BMW/MINI Longlife-04 (LL-04)
Fiat 9.55535-S3
GM dexos 2
MB 229.52, MB 229.51, MB 229.31
Renault RN0700 / RN0710
VW 502 00 / 505 00
Asian manufacturers



C3 5W-30 - 5999

Fully synthetic | Mid SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Performance Profile:
ACEA C3
API SN

Suitable For:
BMW/MINI Longlife-04 (LL-04)
Chrysler MS-11106
Fiat 9.55535-S3
MB 229.51, MB 229.31
Porsche C30
VW 504 00 / 507 00, VW 502 00 / 505 01
Asian manufacturers
Millers Oils underwrites this product for use in
GM dexos2 & Opel/Vauxhall OV0401547-G30 /
OV0401547-D30 applications



C4 5W-30 - 8147

Fully synthetic | Low SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Performance Profile:
ACEA C4

Suitable For:
Dacia
Fiat 9.55535-S4
MB 226.51, MB 229.51, MB 229.31
Renault RN0720
Asian manufacturers



ECO 5W-30 - 8058

Fully synthetic | Full SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Performance Profile:
ACEA A5/B5
API SL, CF

Suitable For:
ACEA A1/B1
Chrysler MS-6395
Dacia
Ford WSS-M2C913-C, Ford WSS-M2C913-D
ILSAC GF-4
Jaguar Land Rover STJLR.03.5003
Renault RN0700
Asian manufacturers



5W-30 - 5995

Synthetic Based | Full SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Performance Profile:
ACEA A3/B4
API SL, CF

Suitable For:
BMW/MINI Longlife-01 (LL-01)
BMW/MINI Longlife-98 (LL-98)
Ford WSS-M2C913-B, Ford WSS-M2C913-A
ILSAC GF-2
MB 229.5, MB 229.3, MB 229.1
Renault RN0700 / RN0710
VW 502 00 / 505 00, VW 500 00 / 501 01
Asian manufacturers



C3 5W-40 - 6124

Fully synthetic | Mid SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Performance Profile:
ACEA C3
API SN

Suitable For:
BMW/MINI Longlife-04 (LL-04)
Ford WSS-M2C917-A
GM dexos 2
MB 229.51, MB 229.31, MB 226.5
Porsche C40, A40
VW 502 00 / 505 01
Asian manufacturers

For full details of our performance specifications please refer to page 12.
Asian manufacturers - including but not limited to, Honda, Hyundai, Infinity, Kia, Lexus, Nissan, Suzuki and Toyota.
SAPS - Sulphated, Ash, Phosphorus, Sulphur.

For full details of our performance specifications please refer to page 12.
Asian manufacturers - including but not limited to, Honda, Hyundai, Infinity, Kia, Lexus, Nissan, Suzuki and Toyota.
SAPS - Sulphated, Ash, Phosphorus, Sulphur.

TRIDENT PROFESSIONAL ENGINE OIL RANGE



5W-40 - 7625

Fully synthetic | Full SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Performance Profile:
ACEA A3/B4
API SN

Suitable For:
BMW/MINI Longlife-01 (LL-01)
Chrysler MS-10725, MS-12991
Fiat 9.55535-Z2, 9.55535-N2
GM-LL-B-025, GM-LL-A-025
MB 229.5, MB 229.3, MB 226.5
PSA B71-2296
Renault RN0710, RN0700
Porsche A40
VW 502 00 / 505 00
Asian manufacturers



10W-40 - 5991

Synthetic based | Full SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Performance Profile:
ACEA A3/B4
API SN

Suitable For:
BMW/MINI Longlife-98 (LL-98)
Fiat 9.55535-G2
MB 229.3, MB 229.1
PSA B71-2300<2017
Renault RN0700
VW 502 00 / 505 00, VW 500 00 / 501 01
Land Rover MTF-94 Gear Oil Specification

For full details of our performance specifications please refer to page 12.
Asian manufacturers - including but not limited to, Honda, Hyundai, Infinity, Kia, Lexus, Nissan, Suzuki and Toyota.
SAPS - Sulphated, Ash, Phosphorus, Sulphur.

TRIDENT PROFESSIONAL
DRIVELINE RANGE

The Trident Professional driveline range is formulated to protect transmissions and differentials under extreme pressures. Trident Professional delivers dependable protection and practicality, making it the go-to choice for professionals who need convenience, and confidence in every application.

MANUAL GEAR OIL



MTF 75W-90 - 8323

Synthetic | For manual gearboxes, transfer cases & differentials.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Suitable For:
API GL-4, GL-5

AUTOMATIC TRANSMISSION FLUID



ATF UN - 8382

Automatic Transmission Fluid for power steering systems.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Suitable For:
Ford Mercon, WSS-M2C185A, WWS-M2C166H,
WWS-M2C138CJ
XT-2 QDX, XL-12
GM Dexron IID, Dexron II, Type A Suffix A (TASA)
GM/Opel/Saturn 1940700
Mazda ATF D-II
Mercedes-Benz MB 236.7, 236.6, 236.3, 236.2,
236.1
Renault Renaultmatic D2
Toyota ATF D-II

Asian manufacturers - including but not limited to, Honda, Hyundai, Infinity, Kia, Lexus, Nissan, Suzuki and Toyota.
SAPS - Sulphated, Ash, Phosphorus, Sulphur.

TRIDENT PROFESSIONAL ENGINE OIL RANGE

PRODUCT CODE	PRODUCT NAME	OIL TYPE	SAPS LEVEL	SUITABLE APPLICATIONS															OTHER
				INDUSTRY BODY			MANUFACTURER												
				ACEA	API	ILSAC	BMW/MINI	CHRYSLER	FIAT	FORD/JLR (JAGUAR LAND ROVER)	GENERAL MOTORS	MERCEDES-BENZ	OPEL/VAUXHALL	PSA	RENAULT	VOLVO	VWAG/PORSCHE (VW AUDI GROUP)		
8430	TRIDENT PROFESSIONAL 0W-20	Fully Synthetic	-	-	SP RC, SP, SN PLUS RC, SN PLUS, SN RC, SN	GF-6A GF-5 GF-4	-	MS-6395	9.55535-CR1	WSS-M2C962-A1 WSS-M2C947-B1 WSS-M2C947-A	GM dexos 1 Gen 3 GM dexos 1 Gen 2 GM dexos 1 Gen 1	-	-	-	-	-	-	Asian manufacturers	
8173	TRIDENT PROFESSIONAL C5 ECO 5W-20	Fully Synthetic	Mid SAPS	C5 A1/B1	SN RC SN	GF-5 GF-4	-	MS-6395	9.55535-CR1	WSS-M2C948-B WSS-M2C948-A WSS-M2C945-A WSS-M2C925-B WSS-M2C925-A STJLR.03.5004	-	-	-	-	-	-	-	Asian manufacturers	
8146	TRIDENT PROFESSIONAL C1 5W-30	Fully Synthetic	Low SAPS	C1	-	-	-	-	-	WSS-M2C934-B STJLR.03.5005	-	-	-	-	-	-	-	JASO DL-1 Asian manufacturers	
8123	TRIDENT PROFESSIONAL C2 C3 5W-30	Fully Synthetic	Mid SAPS	C2 C3	SN	-	Longlife-04 (LL-04)	MS-11106	9.55535-S3	-	GM dexos 2	MB 229.52 MB 229.51 MB 229.31	OV0401547-G30 OV0401547-D30	B71-2290 <2017	RN0700 RN0710	-	VW 502 00 / 505 00	Asian manufacturers	
5999	TRIDENT PROFESSIONAL C3 5W-30	Fully Synthetic	Mid SAPS	C3	SN	-	Longlife-04 (LL-04)	MS-11106	9.55535-S3	-	GM dexos 2*	MB 229.51 MB 229.31	OV0401547-G30* OV0401547-D30*	-	-	-	Porsche C30 VW 504 00 / 507 00 VW 502 00 / 505 01	Asian manufacturers	
8147	TRIDENT PROFESSIONAL C4 5W-30	Fully Synthetic	Low SAPS	C4	-	-	-	-	9.55535-S4	-	-	MB 229.51 MB 229.31 MB 226.51	-	-	RN0720	-	-	Asian manufacturers Dacia	
8058	TRIDENT PROFESSIONAL ECO 5W-30	Fully Synthetic	Full SAPS	A5/B5 A1/B1	SL	GF-4 GF-3	-	MS-6395	-	WSS-M2C913-D WSS-M2C913-C STJLR.03.5003	-	-	-	-	RN0700	-	-	Asian manufacturers Dacia	
5995	TRIDENT PROFESSIONAL 5W-30	Synthetic Based	Full SAPS	A3/B4	SL	GF-2	Longlife-01 (LL-01) Longlife-98 (LL-98)	-	-	WSS-M2C913-B WSS-M2C913-A	-	MB 229.5 MB 229.3 MB 229.1	-	-	RN0700 RN0710	-	VW 502 00 / 505 00 VW 500 00/ 501 01	Asian manufacturers	
6124	TRIDENT PROFESSIONAL C3 5W-40	Fully Synthetic	Mid SAPS	C3	SN	-	Longlife-04 (LL-04)	-	9.55535-GH2 9.55535-T2 9.55535-S2	WSS-M2C917-A	GM dexos 2	MB 229.51 MB 229.31 MB 226.5	-	-	RN0710 RN0700	-	Porsche C40 Porsche A40 VW 502 00 / 505 01	Asian manufacturers	
7625	TRIDENT PROFESSIONAL 5W-40	Fully Synthetic	Full SAPS	A3/B4	SN CF	-	Longlife-01 (LL-01)	MS-12991 MS-10725	9.55535-Z2 9.55535-N2	-	GM-LL-B-025 GM-LL-A-025	MB 229.5 MB 229.3 MB 226.5	-	B71-2296	RN0710 RN0700	-	Porsche A40 VW 502 00 / 505 00	Asian manufacturers	
5991	TRIDENT PROFESSIONAL 10W-40	Synthetic Based	Full SAPS	A3/B4	SN	-	Longlife-98 (LL-98)	-	9.55535-G2	-	-	MB 229.3 MB 229.1	-	B71-2300	RN0700	-	VW 502 00 / 505 00 VW 500 00 / 501 01	Land Rover MTF-94 Gear Oil Specification Asian manufacturers	

* Millers Oils underwrites this product for GM dexos 2 & Opel/ Vauxhall OV0401547-G30/D30 applications

• Although this specification chart is a guide for Millers Oils products, care should be taken to ensure the correct product is used as per the vehicle requirement

• All products available in 1L, 5L, 20L, 60L, 199L, 1000L & Bulk

• Asian manufacturers – Including but not limited to Acura, Daihatsu, Honda, Hyundai, Infiniti, Isuzu, Kia, Lexus, Mazda, Mitsubishi, Nissan, Subaru, Suzuki, Toyota.

• BMW Group Inc. BMW, MINI & Rolls Royce

• General Motors Inc. Buick, Cadillac, Chevrolet, GMC (Opel, Vauxhall pre-2017)

• VWAG Inc. Audi, Bentley, Bugatti, Cupra, Lamborghini, MAN, Porsche, Seat, Skoda & Volkswagen

• Stellantis Inc. Peugeot Societe Anonyme (PSA Group) & Fiat Chrysler Automobiles (FCA)
PSA Group Inc. Peugeot, Citroen, DS Automobiles, Opel & Vauxhall
FCA Inc. Abarth, Alfa Romeo, Chrysler, Dodge, Fiat, Jeep, Lancia, Maserati, Mopar, Ram & SRT
PSA bought Opel/ Vauxhall in 2017; any Opel/ Vauxhall vehicle manufactured before or after this point may need a PSA specification

FOR PRODUCT SPECIFICATION INFO & TECHNICAL HELP PLEASE CALL US ON +44 (0) 1484 475060

COMPREHENSIVE TECHNICAL SUPPORT

At Millers Oils, we pride ourselves on delivering industry-leading technical support. Our expert team is available in-house, by phone, or via email to provide fast, reliable guidance, whether you need help choosing the right product or resolving a technical query. With Millers Oils, expert advice is always within reach.

VISION OIL ANALYSIS

PRECISION IN EVERY DROP

At Millers Oils, we believe in the power of proactive maintenance. Our Oil Sampling Kits are designed to provide garages with invaluable insights into the condition of their customers' engines. By regularly analysing oil samples, garages can detect potential issues before they escalate, ensuring optimal performance and longevity for every vehicle.

Each kit includes an easy-to-use sampling bottle and clear instructions, allowing for a straightforward collection process. The results are analysed by our expert team, providing detailed reports that highlight the health of the engine and recommend necessary actions. You can offer your customers peace of mind, knowing that their engines are protected and performing at their best.

WHICH OIL?

Millers Oils **WHICH OIL?** tool is your go-to solution when you need quick, accurate product recommendations. Just head to our website and enter a vehicle registration or select the make and model, and you'll instantly see all the suitable Millers Oils products for that vehicle.

WHICH OIL? takes the guesswork out of oil selection, so you can get it right, every time.

Try it now: www.millersoils.co.uk/which-oil



MILLERS OILS

Millers Oils Head Office

Millers Oils Ltd
Brighouse, West Yorkshire
HD6 3DP, UK
T: +44 (0) 1484 713201
E: sales@millersoils.co.uk
E: international@millersoils.co.uk

www.millersoils.co.uk

Millers Oils Scotland

T: +44 (0) 1236 280107
E: glasgow@millersoils.co.uk

Technical Support

T: +44 (0) 1484 475060
E: technical@millersoils.co.uk

For H&S info or SDS, please visit our
website

All products and information are reflective of the latest specifications at the time of going to print. The company reserves the right to change formulations and specifications without prior notice. Product images are shown for illustration purposes only.

REF /TRIDENT/MAY26

MADE IN BRITAIN



MillersOilsLtd