



XF PREMIUM

DYNAMIC FLUID  *TECHNOLOGY*

OEM Certified Performance
Built to Last

CONTENTS

About Millers Oils	3
XF Premium	4
Passenger Car Fluid & Lubricant Applications	6
XF Premium Engine Oil Range	8
XF Premium Driveline Range	12
XF Premium Specification Chart	14



ABOUT MILLERS OILS

Millers Oils is a leading manufacturer and independent blender of oils and lubricants, operating since 1887 in Brighouse, West Yorkshire.

We pride ourselves on our award-winning innovation and our independence which allows maximum flexibility to meet our customers' needs.

At Millers Oils, we understand that selecting the right lubricants is crucial for your vehicle's performance and longevity. That's why we've developed three distinct ranges — Trident Professional, XF Premium and EE Performance — each tailored to meet specific needs and applications.

XF Premium: This range of fully synthetic engine oils and driveline fluids is engineered for modern passenger cars, meeting and often exceeding the latest OEM specifications. Utilising our unique Dynamic Fluid Technology (DFT), XF Premium provides enhanced protection, improved fuel economy, and reduced engine wear. Ideal for independent specialists and workshops, this range ensures that vehicles operate at peak efficiency.

EE Performance: For enthusiasts and drivers seeking maximum engine performance, EE Performance is our "track day ready" fully synthetic engine and driveline range suitable for on-road use. Incorporating award-winning NANODRIVE low friction technology and ester chemistry, EE Performance engine oils significantly reduce friction by up to 24% compared to industry-standard formulations, while providing exceptional wear protection. Perfect for customers with high-performance vehicles and those looking to enhance fuel economy and reduce emissions.

Trident Professional: Designed for high-volume workshops and garages, this versatile range offers multi-application engine and driveline lubricants that cover a wide array of vehicle specifications. Formulated for use in petrol/gasoline, diesel and hybrid engines, Trident Professional ensures compatibility across numerous manufacturers. It's the practical choice for professionals seeking reliable performance and extensive vehicle parc coverage.

XF PREMIUM

OEM Approved Protection.

The XF Premium range is designed to meet the stringent standards of OEMs, providing the reliability expected from an approved range. For garages, this means delivering peace of mind to customers who insist on manufacturer approved protection.

Covering petrol/gasoline, diesel, and hybrid applications, XF Premium, crafted with advanced Dynamic Fluid Technology (DFT), ensures ultimate protection, especially during cold starts and city driving.




DYNAMIC FLUID TECHNOLOGY

PROTECTS ON:



START UP



STOP START



SHORT JOURNEYS



LONG JOURNEYS

Dynamic Fluid Technology (DFT) is the unique, superior lubrication technology developed and blended by Millers Oils. Expertly formulated by our team of chemists, it utilises the very best additive technologies to act synergistically in delivering maximum protection and enhanced performance for your engine.

Engines are most susceptible to wear and damage during start-up, and modern driving conditions such as stop-start technology and frequent short journeys only intensify this issue, leading to a shorter engine lifespan. DFT combats these effects by using advanced chemistry to create a dynamic protective film that coats components, ensuring vital protection from the moment you start the engine.

PASSENGER CAR FLUID AND LUBRICANT APPLICATIONS

Millers Oils prides itself on supplying a comprehensive range of oils, fluids and treatments for all vehicles.

ENGINE OIL

Premium

- XF Premium
- Featuring Dynamic Fluid Technology (DFT)
- OEM Approvals
- Available in a range of viscosities from 0W-16 – 5W-50

ANTIFREEZE & COOLANT

A range of Monoethylene Glycol (MEG) products formulated with different chemistry types designed to be compatible with the materials in the cooling system.

MEG Si-OAT

- Alpine Lilac Concentrate
- Alpine Lilac Ready Mixed

MEG OAT

- Alpine Red Concentrate
- Alpine Red Ready Mixed
- Alpine Yellow Concentrate
- Alpine Yellow Ready Mixed

MEG IAT

- Alpine Blue Concentrate
- Alpine Blue Ready Mixed

HYDRAULIC & STEERING SYSTEM

Hydraulic System

- Central Hydraulic Fluid (CHF)
- LHM Plus

Power Steering System

- Power Steering Fluid (PSF)

BRAKING SYSTEM

- ESP Brake Fluid DOT 4 LV
- Universal Brake Fluid DOT 4

GREASE

General Grease

- Delta 2EP

Wheel Bearings

- Deltaplex 2EP

Anti-Seize

- Millergrease NS Copper

CV Joints

- Hi-Mol 20

Spline Shafts

- Black Moly MM2

Brake System

- Red Rubber Grease

TREATMENTS

Fuel

- Petrol
- Petrol Power ECOMAX
- Petrol Injector Cleaner
- Diesel
- Diesel Power ECOMAX
- Diesel Injector Cleaner
- DPF Regenerator

Oil

- Engine Flush
- Driveline Flush
- Stop Leak

DRIVELINE OIL

Gear Oil /Manual Transmission Fluid (MTF)

- XF Premium MTF
- 75W, 75W-80, 75W-90

Auto Transmission Fluid (ATF)

- XF Premium ATF
- A range of products suitable for a wide range of modern applications

XF PREMIUM ENGINE OIL RANGE

The XF Premium engine oil range is designed to deliver exceptional protection and performance for modern engines. Formulated to meet the latest manufacturer specifications, these high-quality lubricants are engineered for next-generation vehicles and drivers who demand OEM-approved solutions. XF Premium engine oils match the precision engineering of modern vehicles to deliver the reliability you expect.



0W-16 - 8174

Fully synthetic | For use in petrol/gasoline and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Performance Profile:
API SP, SP RC
ILSAC GF-6B

Suitable For:
API SN PLUS RC, SN PLUS, SN RC, SN
Asian manufacturers



C5 C6 0W-20 - 8175

Fully synthetic | Mid SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Performance Profile:
ACEA C5, C6
API SQ, SP, SP RC
ILSAC GF-7A, GF-6A
BMW Longlife-17 FE+ (LL-17 FE+)
MB-229.72, MB-229.71
Opel/Vauxhall OV0401547-A20

Suitable For:
API SN PLUS, SN PLUS RC, SN
BMW Longlife-14 FE+ (LL-14 FE+)
Chrysler MS-12145
Fiat 9.55535-GSX
ILSAC GF-5
Volvo VCC RBS0-2AE
Asian manufacturers



C5 P 0W-20 - 8515

Fully synthetic | Mid SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Performance Profile:
ACEA C5
API SP
PSA B71-2010

Suitable For:
API SP RC, SN PLUS RC, SN PLUS, SN



C5 V 0W-20 - 8049

Fully synthetic | Mid SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Performance Profile:
ACEA C5
Porsche C20
VW 508 00 / 509 00 (OEM Approved)

Suitable For:
Ford WSS-M2C956-A1
Volkswagen Audi Group including Bentley, Cupra,
Seat & Skoda
Asian manufacturers



C2 0W-30 - 7997

Fully synthetic | Mid SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Performance Profile:
ACEA C2
API SP
PSA B71-2312

Suitable For:
BMW Longlife-12 FE (LL-12 FE)
Chrysler MS-90047, MS-13340
Fiat 9.55535-DS1, 9.55535-GS1
PSA Group applications including Peugeot,
Citroen & DS
Asian manufacturers



C2 ECO 0W-30 - 8045

Fully synthetic | Mid SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Performance Profile:
ACEA C2
Ford WSS-M2C950-A
**Jaguar Land Rover STJLR.03.5007
(OEM Acknowledgement)**

Suitable For:
API SN
Asian manufacturers



C3 0W-30 - 7998

Fully synthetic | Mid SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Performance Profile:
ACEA C3
BMW/MINI Longlife-04 (LL-04)
MB 229.52
Porsche C30
VW 504 00 / 507 00 (OEM Approved)

Suitable For:
API SN
MB 229.51, MB 229.31
VW 506 00 / 506 01, VW 503 00 / 503 01
VW 502 00 / 505 01
Volkswagen Audi Group including Cupra
Lamborghini, MAN, Seat and Skoda
Asian manufacturers



0W-40 - 7725

Fully synthetic | Full SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Performance Profile:
ACEA A3/B4
API SN
Ford WSS-M2C937-A
MB 229.5
Porsche A40
Renault RN0710

Suitable For:
BMW Longlife-01 (LL-01)
GM-LL-B-025, GM-LL-A-025
MB 229.3
VW 502 00 / 505 00, VW 500 00 / 501 01
AMG, SAAB
Asian manufacturers



C5 ECO 5W-20 - 7779

Fully synthetic | Mid SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Performance Profile:
ACEA C5
API SN RC, SN
ILSAC GF-5
Ford WSS-M2C948-B, Ford WSS-M2C948-A
Jaguar Land Rover STJLR.03.5004

Suitable For:
ILSAC GF-4
Chrysler MS-6395
Fiat 9.55535-CR1
Ford WSS-M2C945-A, Ford WSS-M2C925-B
Asian manufacturers

For details of our full approvals and performance specifications please refer to page 14-17.
OEM - Original Equipment Manufacturer.

For details of our full approvals and performance specifications please refer to page 14-17.
OEM - Original Equipment Manufacturer.

XF PREMIUM ENGINE OIL RANGE



C2 5W-30 - 6229

Fully synthetic | Mid SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Performance Profile: ACEA C2 API SN Fiat 9.55535-S1 PSA B71-2290	Suitable For: PSA Group applications including Peugeot, Citroen & DS Asian manufacturers	



C2 C3 5W-30 - 6230

Fully synthetic | Mid SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Performance Profile: ACEA C2, C3 API SN BMW Longlife-04 (LL-04) (OEM Approved) GM dexos 2 MB-Approval 229.52 (OEM Approved) Opel/Vauxhall OV0401547-G30, OV0401547-D30 Renault RN0700 / 0710	Suitable For: Chrysler MS-11106 Fiat 9.55535-S3 MB 229.51, MB 229.31, MB 226.5 PSA B71-2290 <2017 VW 502 00 / 505 00 Asian manufacturers	



C3 RN 5W-30 - 8343

Fully synthetic | Mid SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Performance Profile: ACEA C3 Renault RN17	Suitable For: Renault RN710, RN0700 Dacia Fiat Samsung	



S 5W-30 - 8627

Fully synthetic | Mid SAPS | For use in petrol/gasoline, diesel and hybrid engines
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Recommended for STELLANTIS FPW9.55535/03 PSA B71 2292 PSA B71 2297		



C3 V 5W-30 - 5862

Fully synthetic | Mid SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Performance Profile: ACEA C3 API SN BMW/MINI Longlife-04 (LL-04) MB 229.51 Porsche C30 VW 504 00 / 507 00 (OEM Approved)	Suitable For: Chrysler MS-11106 Fiat 9.55535-S3 MB 229.31 VW 502 00 / 505 01 Volkswagen Audi Group including Bentley, Cupra, Lamborghini, MAN, Seat and Skoda Asian manufacturers Millers Oils underwrites this product for use in GM dexos 2 & Opel/Vauxhall OV0401547-G30, OV0401547-D30 applications	

For details of our full approvals and performance specifications please refer to page 14-17.
OEM - Original Equipment Manufacturer.



C4 5W-30 - 6231

Fully synthetic | Low SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Performance Profile: ACEA C4 Renault RN0720	Suitable For: Fiat 9.55535-S4 MB 229.51, MB 229.31, MB 226.51 Dacia Asian manufacturers	



ECO 5W-30 - 6221

Fully synthetic | Full SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Performance Profile: ACEA A5/B5 API SN Ford WSS-M2C913-D Renault RN0700	Suitable For: API SL ILSAC GF-4 Chrysler MS-6395 Ford WSS-M2C913-C Jaguar Land Rover STJLR.03.5003 Asian manufacturers	



LSPI 5W-30 - 8099

Fully synthetic | For use in petrol/gasoline and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Performance Profile: API SP, SP RC GM dexos 1 Gen 2 ILSAC GF-6A	Suitable For: API SN PLUS RC, SN PLUS, SN RC, SN Chrysler MS-6395 Fiat 9.55535-CR1 Ford WSS-M2C961-A1, Ford WSS-M2C946-B1 Ford WSS-M2C946-A, Ford WSS-M2C929-A GM dexos 1 Gen 1, GM 6094M, GM 4718M ILSAC GF-5, ILSAC GF-4 Asian manufacturers	



C3 5W-40 - 7640

Fully synthetic | Mid SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Performance Profile: ACEA C3 API SN Ford WSS-M2C917-A GM dexos2 MB 229.31, MB 226.5 Renault RN 0700/RN 0710	Suitable For: BMW/MINI Longlife-04 (LL-04) MB 229.52, MB 229.51 Porsche C40, A40 VW 502 00/ 505 01 Volkswagen Audi Group including Cupra, Lamborghini, MAN, Seat and Skoda and Asian manufacturers	



5W-50 - 7726

Fully synthetic | Full SAPS | For use in petrol/gasoline and diesel.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Performance Profile: ACEA A3/B4 API SN	Suitable For: API SM, SL ACEA A3/B3 Ford WSS-M2C931-C MB 229.3 MB 229.1 Porsche A40 AMG Caterham Cosworth Asian Manufacturer	

For details of our full approvals and performance specifications please refer to page 14-17.
OEM - Original Equipment Manufacturer.

XF PREMIUM DRIVELINE RANGE

The XF Premium driveline range is engineered to deliver smooth, reliable performance for modern vehicles, offering outstanding protection across gearboxes, axles, and differentials. Developed to meet the latest OEM specifications, these fully synthetic lubricants are designed for drivers and garages who value durability, compatibility, and consistent high performance across every component.



MTF 75W - 8374

Fully synthetic | For use in manual gearboxes.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Suitable For:

API GL-4
BMW MTF LT-3, P/N 83 22 0 397 244
Fiat 9.55550-MZ6, 9.55550-MZ2
Ford M2C200-E1, M2C200-D3
General Motors GM 19259104/19259105, 1940004
Nissan P/N 999MP-TF0870P
PSA B71 2316, P/N 9730.A8, P/N 1618078480
VW TL 726 P/N G 055 726, TL 726 P/N G 052 726
TL 525 27 P/N G 052 527, P/N G 055 512,
TL 525 12 P/N G 052 512, TL 521 78, P/N G 052 178

Porsche P/N 000.043.301.36
BOT 350 M3, BOT 303
TF 0870
Tranself NFX



MTF 75W-80 - 8375

Fully synthetic | For use in manual gearboxes.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Suitable For:

API GL-4 , GL-5
BMW MTF LT-2, P/N 83 22 0 309 031
Fiat 9.55550-MZ12, 9.55550-MZ10
Ford M2C200-C3
General Motors GM 1940768
Honda MTF-III, MTF-II, MTF
Land Rover/Rover/Mini MTF 94
Nissan MT-XZ
Subaru P/N S0A748V0100
PSA B71 2330, P/N 9730.A2

Volvo 1161681, 97309, 97308
EZL-848
Tranself NFX, NFP, TRJ, TRP, TRT, TRX, TRZ



MTF 75W-90 - 8376

Fully synthetic | For use in manual gearboxes, transfer cases and differentials.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Suitable For:

API GL-4, GL-5
BMW MTF LT-4, OSP
Fiat 9.55550-MZ11, 9.55550-DA7
Ford M2C203-A1, M2C201-A, M2C200-C
General Motors GM 89021677/89021678,
GM 1940757, GM 19351882/19351883,
GM 9986285
Jaguar XH-21
Mercedes-Benz MB 235.8, 235.72
Volvo 97309

VW G51, G50
P/N G 005 000, TL 529 11 P/N G 052 911,
TL 521 45 P/N G 052 145, TL 501 50 P/N G 050 150
Porsche P/N 999.917.546.00, P/N 999.917.067.00,
P/N 000.043.204.20, P/N 000.043.204.19
BOT 130



ATF DCT-DSG - 8380

Fully synthetic | Automatic Transmission Fluid for use in dual clutch transmissions (DCT).
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Suitable For:

BMW/Mini (P/N 83 22 167 666) (MTF LT-5)
(P/N 83 22 0 440 214) (DCTF-1)
Chrysler 68044345 GA
Ferrari TE DCT-F3
FIAT 9.5550 MZ6
Ford WSS M2C936-A
Mercedes-Benz MB 236.25, 236.24
PSA 9734.S2
Porsche (P/N 999 917 080 00)
Renault EDC-7

VW/Audi TL 52 529-C (P/N G 055 529), TL 52 182
(P/N G 052 182)
Volvo 1161839
Pentosin FFL-4, FFL-3
ZF TE-ML-11 • Getrag • BMW • Ferrari
Fiat • Ford • McLaren • Mercedes-Benz
Mitsubishi
PSA Inc. Peugeot, Citroen, DS
Renault
VWAG Inc. VW, Audi, Seat, Skoda, Porsche, Bugatti



ATF CVT - 8381

Fully synthetic | Automatic Transmission Fluid for use in continuously variable transmissions.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Suitable For:

Chrysler/Dodge/Jeep/Mopar NS-2, CVT+4
Daihatsu Ammix CVTF-DFE Ford CVT30/Mercon C
Honda CVTF II • Hyundai/Kia CVT-1
Mazda CVTF 3320
Mercedes-Benz MB 236.20
Mitsubishi Dia-Queen CVTF-J4+
Nissan/Infiniti NS-3
Renault Elfmatic
Subaru E-CVTF

Suzuki CVT Fluid Green 2
Toyota/Lexus CVT Fluid TC
VW/Audi TL 52 516 (P/N G 052 516)
Aisin Warner NS-2
Daihatsu • GM • Honda • Hyundai • Infiniti
Kia • Lexus • Mazda • Mitsubishi • Nissan
Opel • Saturn • Subaru • Suzuki • Toyota •
VWAG inc. VW, Audi, Seat, Skoda



ATF MB-ECO - 8378

Fully synthetic | Automatic Transmission Fluid for automatic gearboxes.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Suitable For:

Mercedes-Benz MB 236.17, MB 236.16



ATF 9LG - 8617

Fully synthetic | Automatic Transmission Fluid for automatic gearboxes.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Suitable For:

ZF Lifeguard Fluid 9 (ZF No. AA01.500.001)
ZF Lifeguard Hybrid 1 (ZF No. AA02.836.455)
ZF Lifeguard Fluid 8 (ZF No. S671 090 312)



ATF MV-EXTRA - 8377

Fully synthetic | Automatic Transmission Fluid for automatic gearboxes and power steering systems.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Suitable For:

BMW/Mini (P/N 83 222 289 720) (ATF 3+)
(P/N 83 222 305 397) (ATF 3)
Chrysler ATF 4+ • Fiat 9.55550-AV5
Ford Mercon SP, LV, V
GM Dexron VI, IIIH
Jaguar Land Rover (P/N LR023289)
Mercedes-Benz MB 236.15 (<2010), 236.14
Mitsubishi Dia-Queen SK, SP-IV
Volvo 97341

VW/Audi (P/N G 055 540), (P/N G 055 055 A1)
Aisin Warner JWS 3324,
3317 ZF Lifeguard 8 (M-1375.8)
Lifeguard 6 (M-1375.4)
Chrysler • Honda • Hyundai • Jaguar • Kia
Land Rover • Lexus Maserati • Mazda • Mitsubishi
Nissan • Opel • Subaru • Suzuki Vauxhall • Volvo
VWAG Inc. VW, Audi, Seat, Skoda, Porsche Bentley,
Lamborghini



ATF MV - 8379

Fully synthetic | Automatic Transmission Fluid for automatic gearboxes and power steering systems.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Suitable For:

BMW /Mini ETL-8072B (P/N 83 220 403 249)
Chrysler ATF 3+ (MS 7176E)
Ford Mercon
GM Dexron IIIH
Hyundai/Kia SP-II
Jaguar Land Rover 3403 (M-115)
Mercedes-Benz MB 236.10
PSA Z 000 169 756, LT 71141
Renault Matic D2

Toyota ATF D-III
VW/Audi (P/N G 055 162)
Volvo 97341
ZF Lifeguard 6 (M-1375.4), Lifeguard 5 (P/N 671
090 170) • BMW • Ford • Hyundai • Jaguar
Kia • Mazda • PSA Inc. Peugeot, Citroen, DS
Toyota • Vauxhall
VWAG Inc. VW, Audi, Seat, Skoda, Porsche, Bentley

XF PREMIUM ENGINE OIL RANGE

PRODUCT CODE	PRODUCT NAME	OIL TYPE	SAPS LEVEL	SUITABLE APPLICATIONS															
				INDUSTRY BODY			MANUFACTURER												OTHER
				ACEA	API	ILSAC	BMW/MINI	CHRYSLER	FIAT	FORD/JLR (JAGUAR LAND ROVER)	GENERAL MOTORS	MERCEDES-BENZ	OPEL/VAUXHALL	PSA	RENAULT	STELLANTIS	VOLVO	VWAG/PORSCHE (VW AUDI GROUP)	
8174	XF Premium 0W-16	Fully Synthetic	-	-	SP, SP RC SN PLUS RC SN PLUS SN RC, SN	GF-6B	-	-	-	-	-	-	-	-	-	-	-	-	Asian manufacturers
8175	XF Premium C5 C6 0W-20	Fully Synthetic	Mid SAPS	C5 C6	SQ, SP, SP RC SN PLUS RC SN PLUS SN RC, SN	GF-7A GF-6A GF-5	Longlife-17 FE+ (LL-17 FE+) Longlife-14 FE+ (LL-14 FE+)	MS-12145 MS-6395	9.55535-GSX	WSS-M2C962-A1 WSS-M2C952-A1 WSS-M2C947-B1 STJLR.51.5122 STJLR.03.5006	GM dexos D	MB 229.72 MB 229.71	OV0401547-A20	-	-	-	VCC RBS0-2AE	-	Asian manufacturers
8515	XF Premium C5 P 0W-20	Fully Synthetic	Mid SAPS	C5	SP, SP RC SN PLUS RC SN PLUS SN RC, SN	-	-	-	-	-	-	-	-	PSA B71-2010	-	-	-	-	Asian manufacturers
8049	XF Premium C5 V 0W-20	Fully Synthetic	Mid SAPS	C5	-	-	-	-	-	WSS-M2C956-A1	-	-	-	-	-	-	-	Porsche C20 VW 508 00 / 509 00	Asian manufacturers
7997	XF Premium C2 0W-30	Fully Synthetic	Mid SAPS	C2	SN	-	Longlife-12 FE (LL-12 FE)	MS-90047 MS-13340	Fiat 9.55535-DS1 Fiat 9.55535-GS1	-	-	-	-	B71-2312	-	-	-	-	Asian manufacturers
8045	XF Premium C2 ECO 0W-30	Fully Synthetic	Mid SAPS	C2	SN	-	-	-	-	WSS-M2C950-A STJLR.03.5007	-	-	-	-	-	-	-	-	Asian manufacturers
7998	XF Premium C3 0W-30	Fully Synthetic	Mid SAPS	C3	SN	-	Longlife-04 (LL-04)	-	-	-	-	MB 229.52 MB 229.51 MB 229.31	-	-	-	-	-	Porsche C30 VW 504 00 / 507 00 VW 506 00 / 506 01 VW 503 00 / 503 01 VW 502 00 / 505 01	Asian manufacturers
7725	XF Premium 0W-40	Fully Synthetic	Full SAPS	A3/B4	SN	-	Longlife-01 (LL-01) Longlife-98 (LL-98)	-	9.55535-Z2	WSS-M2C937-A	GM-LL-B-025 GM-LL-A-025	MB 229.5 MB 229.3 MB 229.1 AMG	-	-	RN0710 RN0700	-	-	Porsche A40 VW 502 00 / 505 00 VW 500 00 / 501 01	Asian manufacturers
7779	XF Premium C5 ECO 5W-20	Fully Synthetic	Mid SAPS	C5	SN RC SN	GF-5 GF-4	-	MS-6395	9.55535-CR1	WSS-M2C948-B WSS-M2C948-A WSS-M2C945-A WSS-M2C925-B STJLR.03.5004	-	-	-	-	-	-	-	-	Asian manufacturers
6229	XF Premium C2 5W-30	Fully Synthetic	Mid SAPS	C2	SN	-	-	-	9.55535-S1	-	-	-	-	B71-2290	-	-	-	-	Asian manufacturers
6230	XF Premium C2 C3 5W-30	Fully Synthetic	Mid SAPS	C2 C3	SN	-	Longlife-04 (LL-04)	MS-11106	9.55535-S3	-	GM dexos 2	MB 229.52 MB 229.51 MB 229.31 MB 226.5	OV0401547-G30 OV0401547-D30	B71-2290 <2017	RN0700 RN0710	-	-	VW 502 00 / 505 00	Asian manufacturers

* Millers Oils underwrites this product for GM dexos 2 & Opel/ Vauxhall OV0401547-G30/D30 applications

OEM Approval & Acknowledgement

Although this specification chart is a guide for Millers Oils products, care should be taken to ensure the correct product is used as per the vehicle requirement

All products available in 1L, 5L, 20L, 60L, 199L, 1000L & Bulk

Asian manufacturers – Including but not limited to Acura, Daihatsu, Honda, Hyundai, Infiniti, Isuzu, Kia, Lexus, Mazda, Mitsubishi, Nissan, Subaru, Suzuki, Toyota.

BMW Group Inc. BMW, MINI & Rolls Royce

General Motors Inc. Buick, Cadillac, Chevrolet, GMC (Opel, Vauxhall pre-2017)

VWAG Inc. Audi, Bentley, Bugatti, Cupra, Lamborghini, MAN, Porsche, Seat, Skoda & Volkswagen

Stellantis Inc. Peugeot Societe Anonyme (PSA Group) & Fiat Chrysler Automobiles (FCA)
PSA Group Inc. Peugeot, Citroen, DS Automobiles, Opel & Vauxhall
FCA Inc. Abarth, Alfa Romeo, Chrysler, Dodge, Fiat, Jeep, Lancia, Maserati, Mopar, Ram & SRT
PSA bought Opel/ Vauxhall in 2017; any Opel/ Vauxhall vehicle manufactured before or after this point may need a PSA specification

FOR PRODUCT SPECIFICATION INFO & TECHNICAL HELP PLEASE CALL US ON +44 (0) 1484 475060

XF PREMIUM ENGINE OIL RANGE

PRODUCT CODE	PRODUCT NAME	OIL TYPE	SAPS LEVEL	SUITABLE APPLICATIONS															
				INDUSTRY BODY			MANUFACTURER												OTHER
				ACEA	API	ILSAC	BMW/MINI	CHRYSLER	FIAT	FORD/JLR (JAGUAR LAND ROVER)	GENERAL MOTORS	MERCEDES-BENZ	OPEL/VAUXHALL	PSA	RENAULT	STELLANTIS	VOLVO	VWAG/PORSCHE (VW AUDI GROUP)	
8343	XF Premium C3 RN 5W-30	Fully Synthetic	Mid SAPS	C3	-	-	-	-	-	-	-	-	-	-	RN17 RN0700	-	-	-	DACIA Asian manufacturers
8627	XF Premium S 5W-30	Fully Synthetic	Mid SAPS	-	-	-	-	-	-	-	-	-	-	B71-2297 B71-2290	-	FPW9.55535/03	-	-	-
5862	XF Premium C3 V 5W-30	Fully Synthetic	Mid SAPS	C3	SN	-	Longlife-04 (LL-04)	MS-11106	9.55535-S3	-	GM dexos 2*	MB 229.51 MB 229.31	OV0401547-G30* OV0401547-D30*	-	-	-	-	Porsche C30 VW 504 00 / 507 00 VW 502 00 / 505 01	Asian manufacturers
6231	XF Premium C4 5W-30	Fully Synthetic	Low SAPS	C4	-	-	-	-	9.55535-S4	-	-	MB 229.51 MB 229.31 MB 226.51	-	-	RN0720	-	-	-	DACIA Asian manufacturers
6221	XF Premium EC0 5W-30	Fully Synthetic	Full SAPS	A5/B5	SN	GF-4 GF-3	-	MS-6395	-	WSS-M2C913-D WSS-M2C913-C STJLR.03.5003	-	-	-	-	RN0700	-	-	-	Asian manufacturers
8099	XF Premium LSPI 5W-30	Fully Synthetic	-	-	SP, SP RC SN PLUS RC SN PLUS SN RC, SN	GF-6A GF-5	-	MS-6395	9.55535-CR1	WSS-M2C961-A1 WSS-M2C946-B1 WSS-M2C946-A WSS-M2C929-A	GM dexos 1 Gen 2 GM dexos 1 Gen 1 GM 6094M GM 4718M	-	-	-	-	-	-	-	Asian manufacturers
7640	XF Premium C3 5W-40	Fully Synthetic	Mid SAPS	C3	SN	-	Longlife-04 (LL-04)	-	-	WSS-M2C917-A	GM dexos 2	MB 229.52 MB 229.51 MB 229.31 MB 226.5	-	-	RN0710 RN0700	-	-	Porsche C40 Porsche A40 VW 502 00 / 505 01	Asian manufacturers
7726	XF Premium 5W-50	Fully Synthetic	Full SAPS	A3/B4	SN	-	-	-	-	WSS-M2C931-C	-	MB 229.3 MB 229.1	-	-	-	-	-	Porsche A40	Caterham, Cosworth Asian manufacturers

* Millers Oils underwrites this product for GM dexos 2 & Opel/ Vauxhall OV0401547-G30/D30 applications

OEM Approval & Acknowledgement

- Although this specification chart is a guide for Millers Oils products, care should be taken to ensure the correct product is used as per the vehicle requirement
- All products available in 1L, 5L, 20L, 60L, 199L, 1000L & Bulk
- Asian manufacturers – Including but not limited to Acura, Daihatsu, Honda, Hyundai, Infiniti, Isuzu, Kia, Lexus, Mazda, Mitsubishi, Nissan, Subaru, Suzuki, Toyota.
- BMW Group Inc. BMW, MINI & Rolls Royce

- General Motors Inc. Buick, Cadillac, Chevrolet, GMC (Opel, Vauxhall pre-2017)
- VWAG Inc. Audi, Bentley, Bugatti, Cupra, Lamborghini, MAN, Porsche, Seat, Skoda & Volkswagen
- Stellantis Inc. Peugeot Societe Anonyme (PSA Group) & Fiat Chrysler Automobiles (FCA)
PSA Group Inc. Peugeot, Citroen, DS Automobiles, Opel & Vauxhall
FCA Inc. Abarth, Alfa Romeo, Chrysler, Dodge, Fiat, Jeep, Lancia, Maserati, Mopar, Ram & SRT
PSA bought Opel/ Vauxhall in 2017; any Opel/ Vauxhall vehicle manufactured before or after this point may need a PSA specification



FOR PRODUCT SPECIFICATION INFO & TECHNICAL
HELP PLEASE CALL US ON +44 (0) 1484 475060

COMPREHENSIVE TECHNICAL SUPPORT

At Millers Oils, we pride ourselves on delivering industry-leading technical support. Our expert team is available in-house, by phone, or via email to provide fast, reliable guidance, whether you need help choosing the right product or resolving a technical query. With Millers Oils, expert advice is always within reach.

VISION OIL ANALYSIS

PRECISION IN EVERY DROP

At Millers Oils, we believe in the power of proactive maintenance. Our Oil Sampling Kits are designed to provide garages with invaluable insights into the condition of their customers' engines. By regularly analysing oil samples, garages can detect potential issues before they escalate, ensuring optimal performance and longevity for every vehicle.

Each kit includes an easy-to-use sampling bottle and clear instructions, allowing for a straightforward collection process. The results are analysed by our expert team, providing detailed reports that highlight the health of the engine and recommend necessary actions. You can offer your customers peace of mind, knowing that their engines are protected and performing at their best.

WHICH OIL?

Millers Oils **WHICH OIL?** tool is your go-to solution when you need quick, accurate product recommendations. Just head to our website and enter a vehicle registration or select the make and model, and you'll instantly see all the suitable Millers Oils products for that vehicle.

WHICH OIL? takes the guesswork out of oil selection, so you can get it right, every time.

Try it now: www.millersoils.co.uk/which-oil



MILLERS OILS



Millers Oils Head Office

Millers Oils Ltd
Brighouse, West Yorkshire
HD6 3DP, UK
T: +44 (0) 1484 713201
E: sales@millersoils.co.uk
E: international@millersoils.co.uk

www.millersoils.co.uk

Millers Oils Scotland

T: +44 (0) 1236 280107
E: glasgow@millersoils.co.uk

Technical Support

T: +44 (0) 1484 475060
E: technical@millersoils.co.uk

For H&S info or SDS, please visit our website

All products and information are reflective of the latest specifications at the time of going to print. The company reserves the right to change formulations and specifications without prior notice. Product images are shown for illustration purposes only.

REF /XF/MAY26

MADE IN BRITAIN



MillersOilsLtd